

AUDIUS 



Conduct Conference Calls
with Greater Sound Clarity

Dynamic Acoustic Technology
to Block Background Noise

4+2 Microphones for 360°
Audio Coverage

ANALOG SPEAKERPHONE



Powered by **D-Link**

DPH-T100

ANALOG SPEAKERPHONE

AUDIUS 

CONFERENCE CALLING THAT'S CLEARLY BETTER

The AudiUS Analog Speakerphone is the ideal device for improving telecommunications. Packed with features, this analog speakerphone is a perfect addition to any collaborative work environment. Avoid misunderstandings from inferior equipment by choosing the AudiUS DPH-T100 Analog Speakerphone.

DYNAMIC ACOUSTIC TECHNOLOGY

This speakerphone includes integrated dynamic acoustic technology to reduce echoes and background noise. Let every very fine detail of each conversation be accurately conveyed without having to repeat oneself. The DPH-T100 is also a full duplex device, so both parties can have a natural conversation without having to take turns speaking.

COMPLETE AUDIO COVERAGE

The four internal microphones of the DPH-T100 provide 360° of audio coverage. Suitable for any conference room table, your team can surround

the speakerphone and have an efficient phone conference. In addition, the DPH-T100 comes with two extension microphones to better accommodate larger conference rooms.

GREATER SOUND CLARITY AND OPTIONS

For high quality sound output, the DPH-T100 uses a powerful speaker that accurately reproduces the voices of the party on the other end of the line. With a built-in audio out jack, attach other peripherals such as an audio recorder.¹

ADVANCED TELEPHONY FEATURES

The DPH-T100 offers standard telephony features such as hold, redial, and mute. Additionally, make conference calls or private one-on-one calls using the same phone line by attaching a standard phone to the DPH-T100 using the included Analog Connection Box.

The DPH-T100 works with any standard analog phone line, making it easy to add to your existing phone service. Or, use it in tandem with a VoIP Telephone Adapter, and create an IP Speakerphone. Experience the benefits of clearer, more precise conference calling using the AudiUS Analog Speakerphone.



Extension Microphones Included

TECHNICAL SPECIFICATION

POWER

- 100-120V (UL) AC/18V DC, 800 mA Adapter

CONSUMED CURRENT

- Standby: 170 +/- 30mA
- Operation: 350-650 mA

LOUDSPEAKER OUTPUT

- 5W/8W

SWITCH

- Tone/Pulse switch

NETWORK INTERFACE

- Two RJ-11 Analog PBX or PSTN

MICROPHONE SENSITIVITY

- 4 microphones on main unit: -47 +/- 4dB
- 2 external microphones: -47 +/- 4dB

OPERATING TEMPERATURE

- 32°F - 140°F

HUMIDITY

- 30-95% (Non-condensing)

SOUND VOLUME

- Normal: 92 dB
- Max: 105 dB

WEIGHT

- Main unit: 2.1 lbs
- Analog box: 0.12 lbs
- External microphone: 0.15 lbs

DIMENSIONS

- Main unit: 13.39 in x 3.15 in
- Analog box: 4.66 in x 1.79 in x 1.19 in
- External microphone: 2.35 in x 1.11 in

WARRANTY

- 1-Year

¹ Audio Recorder not included. Use of audio or video equipment for recording the image or voice of a person without their knowledge and consent is prohibited in certain states or jurisdictions. Nothing herein represents a warranty or representation that the D-Link product provided herein is suitable for the end-user's intended use under the applicable laws of his or her state. D-Link disclaims any liability whatsoever for any end-user use of the D-Link product which fails to comply applicable state, local or federal laws.

All references to speed are for comparison purposes only. Product specifications, size and shape are subject to change without notice, and actual product appearance may differ from that depicted herein.

©2004 D-Link Corporation/D-Link Systems, Inc. All rights reserved. D-Link and the D-Link logo are registered trademarks of D-Link Corporation or its subsidiaries in the United States and other countries. Other trademarks are the property of their respective owners.

